

Subscribe (Full Service) Register (Limited Service, Free) Login

Search: • The ACM Digital Library

C The Guide

+intercept +search +replace

**334(01** 

## THE ACM DICITAL LIBRARY

Feedback Report a problem Satisfaction survey

Terms used intercept search replace

Found 567 of 161,645

Sort results by

Display

relevance

Save results to a Binder Search Tips

Try an Advanced Search Try this search in The ACM Guide

results

expanded form Open results in a new

window

Relevance scale

Results 1 - 20 of 200

Best 200 shown

Result page: **1** <u>2</u> <u>3</u> <u>4</u> <u>5</u> <u>6</u> <u>7</u> <u>8</u> <u>9</u> <u>10</u>

1 A distributed information handling system

Lee A. Hollaar

October 1985 Proceedings of the 1985 ACM annual conference on The range of computing: mid-80's perspective: mid-80's perspective

Full text available: pdf(478.47 KB) Additional Information: full citation, references, index terms

2 An expander-based approach to geometric optimization

Matthew J. Katz, Micha Sharir

July 1993 Proceedings of the ninth annual symposium on Computational geometry

Full text available: pdf(1.05 MB)

Additional Information: full citation, abstract, references, citings, index

We present a new approach to problems in geometric optimization that are traditionally solved using the parametric searching technique of Megiddo. Our new approach is based on expander graphs and is conceptually much simpler and has more explicit geometric flavor. It does not require parallelization or randomization, and it exploits recent range-searching techniques of Matousˇ ek and others. We exemplify the technique on three problems, the slope selection problem, the ...

Increasing the efficiency of Prolog Lexical databases with N-gram Boolean cubes Richard Rankin



January 1988 Proceedings of the 1988 ACM SIGSMALL/PC symposium on ACTES

Full text available: pdf(741.55 KB) Additional Information: full citation, abstract, references, index terms

PROLOG has been shown to be an effective tool for expressing the logic of many problems dealing with parsing, natural language processing, and spelling verification [1,7,8,9,12]. As a class, these problems deal with the manipulation of lexical databases as Horn clauses. Since PROLOG does not generally differentiate between program clauses and data clauses, the internal representation and manipulation of data may not be optimal for a particular application. This paper discusses an alternativ ...

4 Kernel-based memory simulation (extended abstract)

Richard Uhlig, David Nagle, Trevor Mudge, Stuart Sechrest

May 1994 ACM SIGMETRICS Performance Evaluation Review, Proceedings of the 1994 ACM SIGMETRICS conference on Measurement and modeling of computer systems, Volume 22 Issue 1

Full text available: pdf(200.19 KB) Additional Information: full citation, references, citings, index terms 5 <u>Implementing distribution and persistence aspects with aspectJ</u>

Sergio Soares, Eduardo Laureano, Paulo Borba

November 2002 ACM SIGPLAN Notices, Proceedings of the 17th ACM SIGPLAN conference on Object-oriented programming, systems, languages, and applications, Volume 37 Issue 11

Full text available: pdf(405.74 KB)

Additional Information: <u>full citation</u>, <u>abstract</u>, <u>references</u>, <u>citings</u>, <u>index</u> terms

This paper reports our experience using AspectJ, a general-purpose aspect-oriented extension to Java, to implement distribution and persistence aspects in a web-based information system. This system was originally implemented in Java and restructured with AspectJ. Our main contribution is to show that AspectJ is useful for implementing several persistence and distribution concerns in the application considered, and other similar applications. We have also identified a few drawbacks in the langua ...

**Keywords**: aspect-oriented programming, aspectJ, distributed programming, object-persistence, separation of concerns

6 Computer security: Neutralizing windows-based malicious mobile code James A. Whittaker, Andres De Vivanco March 2002 Proceedings of the 2002 ACM symposium on Applied computing

Full text available: pdf(840.36 KB)

Additional Information: <u>full citation</u>, <u>abstract</u>, <u>references</u>, <u>citings</u>, <u>index</u> <u>terms</u>

Mobile code---executable programs that get copied from computer-to-computer via e-mail, web browsers, etc.---is a popular way to stage malicious attacks against users. The Windows operating system is often the target of such attacks, in part because of its ubiquity and in part because of the vast functionality it provides. Some of this functionality, like executable e-mail attachments and scripting, provides opportunity for mobile code to cause significant damage to a host system. One obv ...

**Keywords**: API hooking, code signing, interrupt table, mobile code, native code, sandbox, virus, windows, worm, wrapper

7 Non-invasive, interactive, stylized rendering

Alex Mohr, Michael Gleicher

March 2001 Proceedings of the 2001 symposium on Interactive 3D graphics

Full text available: pdf(64.22 KB) Additional Information: full citation, references, citings, index terms

Keywords: 3D, interactive, non-photorealistic rendering, real-time, stylized

8 Cryptographic technology: fifteen year forecast Whitfield Diffie

September 1982 ACM SIGACT News, Volume 14 Issue 4

Full text available: pdf(1.30 MB) Additional Information: full citation, abstract, references

This paper examines the forces driving public development of cryptography today and projects the course of the field over the next fifteen years with attention to the possible influence of government regulation. This paper was prepared, under contractual arrangements to CRC Systems, in support of the Commerce Department (National Telecommunications and Information Administration, Special Projects Office) response to a White House Office of Science and Technology Policy request that the secretarie ...

9 An easy-to-use toolkit for efficient Java bytecode translators Shigeru Chiba, Muga Nishizawa



# September 2003 Proceedings of the second international conference on Generative programming and component engineering GPCE '03

Full text available: T pdf(144.67 KB)

Additional Information: <u>full citation</u>, <u>abstract</u>, <u>references</u>, <u>citings</u>, <u>index</u>

This paper presents our toolkit for developing a Java-bytecode translator. Bytecode translation is getting important in various domains such as generative programming and aspect-oriented programming. To help the users easily develop a translator, the design of our toolkit is based on the reflective architecture. However, the previous implementations of this architecture involved serious runtime penalties. To address this problem, our toolkit uses a custom compiler so that the runtime penalties a ...

# 10 File systems: A file system interface for concurrent access

Andrea Skarra, Herman Rao

September 1994 Proceedings of the 6th workshop on ACM SIGOPS European workshop:

Matching operating systems to application needs

Full text available: pdf(497.87 KB) Additional Information: full citation, abstract, references

The paper introduces a transparent service .for synchronized replication across loosely-connected, heterogeneous file systems, and it focuses on the part of the service that supports transactional synchronization. The transaction paradigm is useful for grouping together the file accesses in a program that are logically connected, such that each group of accesses is synchronized as an atomic unit. The service, *Parrot*, is implemented as a library that an application links and runs in its ow ...

### 11 Control structure aptness: A case study using top-down parsing Gary Lindstrom



May 1978 Proceedings of the 3rd international conference on Software engineering

Full text available: 🔁 pdf(739.28 KB)

Additional Information: <u>full citation</u>, <u>abstract</u>, <u>references</u>, <u>citings</u>, <u>index</u> terms

The range of control structures available in a higher-level programming language directly governs the set of algorithms conveniently programmable therein. This fact has been well-demonstrated by the salutary effect the ideas of structured programming have had on traditional control structures (sequential, iterative, and procedural). This paper seeks to demonstrate this same fact for more advanced control structures through the use of top-down parsing as a case study. A series of increasingl ...

# 12 <u>Alternate rendering pipeline: HijackGL: reconstructing from streams for stylized rendering</u>



Alex Mohr, Michael Gleicher

June 2002 Proceedings of the 2nd international symposium on Non-photorealistic animation and rendering

Full text available: Tpdf(1.66 MB)

Additional Information: <u>full citation</u>, <u>abstract</u>, <u>references</u>, <u>citings</u>, <u>index</u> terms

This work shows that intercepting a low-level graphics library command stream and reconstructing a declarative representation is practical and useful, especially for exploring new rendering styles. We show not only how the basic mechanics of intercepting an OpenGL command stream lead to a non-invasive extension mechanism for graphics applications, but also how simply manipulating the stream severely limits the kinds of styles we can consider. We describe how our system efficiently reconstructs a ...

Keywords: 3D, interactive, non-invasive, non-photorealistic, real-time, stylized

# 13 A proxy-based personal web archiving service

Herman Chung-Hwa Rao, Yih-Farn Chen, Ming-Feng Chen January 2001 ACM SIGORS Operating Systems Poview

January 2001 ACM SIGOPS Operating Systems Review, Volume 35 Issue 1

Full text available: pdf(2.12 MB)

Additional Information: full citation, abstract, index terms

The Web contains so much information that it is almost beyond measure. How do users manage the useful information that they have seen while screening out the rest that doesn't interest them? Bookmarks help, but bookmarking a page doesn't guarantee that it will be available forever. Search engines are becoming more powerful, but they can't be customized based on the access history of individual users. This paper suggests that a better alternative to managing web information is through a middlewar ...

### 14 Experiments with the M & N tree-searching program

James R. Slagle, John K. Dixon

March 1970 Communications of the ACM, Volume 13 Issue 3

Full text available: pdf(896.52 KB) Additional Information: full citation, abstract, references, citings

The M & N procedure is an improvement to the mini-max backing-up procedure widely used in computer programs for game-playing and other purposes. It is based on the principle that it is desirable to have many options when making decisions in the face of uncertainty. The mini-max procedure assigns to a MAX (MIN) node the value of the highest (lowest) valued successor to that node. The M & N procedure assigns to a MAX (MIN) node some function of the M (N) highest (lowest) valued succes ...

**Keywords**: LISP, artificial intelligence, backing-up procedures, decision theory, game playing, heuristic program, kalah, min-max backing-up procedure, tree searching

## 15 Writing an Alphanumeric Pager Server for Linux

Erik Max Francis

January 2000 Linux Journal

Full text available: html(12.90 KB) Additional Information: full citation, abstract, references, index terms

For those thinking of setting up an alphanumeric paging service or gateway, this article explains the protocols and methods involved

# 16 Analysis and verification: CDiff: a new reduction technique for constraint-based

analysis of security protocols

David Basin, Sebastian Mödersheim, Luca Viganò

October 2003 Proceedings of the 10th ACM conference on Computer and communications, security

Full text available: pdf(278.42 KB) Additional Information: full citation, abstract, references, index terms

We introduce CDiff, a new technique for reducing search when model-checking security protocols. Our technique is based on eliminating certain kinds of redundancies that arise in the search space when using symbolic exploration methods, in particular methods that employ constraints to represent and manipulate possible messages from an active intruder. Formally, we prove that CDiff terminates and is correct and complete, in that it preserves the set of reachable states so that all state-based prop ...

Keywords: constraints, partial-order reduction, protocol verification

### 17 Memory leak detection in embedded systems

Cal Erickson

September 2002 Linux Journal, Volume 2002 Issue 101

Full text available: ntml(13.11 KB) Additional Information: full citation, abstract, index terms

Erickson discusses some of the best tools for memory leak detection for embedded programmers.

# 18 <u>Distrbuted VEEs: The entropia virtual machine for desktop grids</u>

Brad Calder, Andrew A. Chien, Ju Wang, Don Yang

June 2005 Proceedings of the 1st ACM/USENIX international conference on Virtual

#### execution environments

Full text available: pdf(280.20 KB) Additional Information: full citation, abstract, references, index terms

Desktop distributed computing allows companies to exploit the idle cycles on pervasive desktop PC systems to increase the available computing power by orders of magnitude (10x - 1000x). Applications are submitted, distributed, and run on a grid of desktop PCs. Since the applications may be malformed, or malicious, the key challenges for a desktop grid are how to 1) prevent the distributed computing application from unwarranted access or modification of data and files on the desktop PC, 2) contro ...

Keywords: desktop grids, grid computing, virtual machine

19 Designing a GUI for a true visual programming language

Konrad Malkowski

April 2001 Journal of Computing Sciences in Colleges, Proceedings of the sixth annual CCSC northeastern conference on The journal of computing in small colleges, Volume 16 Issue 4

Additional Information: full citation, index terms Full text available: pdf(41.80 KB)

<sup>20</sup> Affinity-based management of main memory database clusters

Minwen Ji

November 2002 ACM Transactions on Internet Technology (TOIT), Volume 2 Issue 4

Full text available: pdf(553.96 KB) Additional Information: full citation, abstract, references, index terms

We study management strategies for main memory database clusters that are interposed between Internet applications and back-end databases as content caches. The task of management is to allocate data across individual cache databases and to route queries to the appropriate databases for execution. The goal is to maximize effective cache capacity and to minimize synchronization cost. We propose an affinity-based management system for main memory database cLUsters (ALBUM). ALBUM executes ea ...

Keywords: Main memory database, clustering, database administration, database cluster, file organization, query affinity, scalability

Result page: 1 2 3 4 5 6 7 8 9 10 Results 1 - 20 of 200

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2005 ACM, Inc. Terms of Usage Privacy Policy Code of Ethics Contact Us

Useful downloads: Adobe Acrobat Q QuickTime Windows Media Player Real Player



Home | Login | Logout | Access Information | Alerts |

### Welcome United States Patent and Trademark Office

☐ Search Results

**BROWSE** 

**SEARCH** 

**IEEE XPLORE GUIDE** 

Results for "( ( intercept<in>metadata ) <and> ( search<in>metadata ) )"

Your search matched 42 of 1239820 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

| Me-mail

>>

#### » Search Options

View Session History

New Search

» Key

**IEEE JNL** IEEE Journal or

Magazine

**IEE JNL** 

IEE Journal or Magazine

IEEE CNF

IEEE Conference Proceeding

**IEE CNF** 

IEE Conference

Proceeding

IEEE STD IEEE Standard

**Modify Search** 

( ( intercept<in>metadata ) <and> ( search<in>metadata ) )

Check to search only within this results set

Display Format: 
 Citation Citation & Abstract

Select Article Information

1. An optimal link power set for a mobile communication network with direc antennas

Tien-Yow Liu; Scholtz, R.A.;

MILCOM 97 Proceedings

Volume 2, 2-5 Nov. 1997 Page(s):782 - 786 vol.2

Digital Object Identifier 10.1109/MILCOM.1997.646726

AbstractPlus | Full Text: PDF(436 KB) | IEEE CNF

2. Strategies for minimizing the intercept time in a mobile communication n directive/adaptive antennas

Jung-Hyun Oh; Scholtz, R.A.;

MILCOM 97 Proceedings

Volume 2, 2-5 Nov. 1997 Page(s):787 - 791 vol.2 Digital Object Identifier 10.1109/MILCOM.1997.646727

AbstractPlus | Full Text: PDF(468 KB) | IEEE CNF

3. Simulator for advanced fighter radar EPM development 

DiFilippo, D.; Geling, G.; Currie, G.;

Radar, Sonar and Navigation, IEE Proceedings -

Volume 148, Issue 3, June 2001 Page(s):139 - 146

AbstractPlus | Full Text: PDF(768 KB) IEE JNL

4. A Markov-chain model for sensor scheduling in electronic support 

El-Mahassni, E.D.; Howard, S.D.; Clarkson, I.V.L.;

Signals, Systems and Computers, 2004. Conference Record of the Thirty-Eigh

Conference on

Volume 2, 7-10 Nov. 2004 Page(s):2183 - 2187 Vol.2

Digital Object Identifier 10.1109/ACSSC.2004.1399554

AbstractPlus | Full Text: PDF(629 KB) IEEE CNF

5. Processing throughput estimation for radar intercept receivers 

Maier, M.W.;

Aerospace and Electronic Systems, IEEE Transactions on Volume 34, Issue 1, Jan. 1998 Page(s):84 - 92

Digital Object Identifier 10.1109/7.640265

AbstractPlus | Full Text: PDF(796 KB) | IEEE JNL

Let's hear it for audio mining

Leavitt, N.;

Computer

Volume 35, Issue 10, Oct. 2002 Page(s):23 - 25

http://ieeexplore.ieee.org/search/searchresult.jsp?SortField=Score&SortOrder=desc&ResultC... 10/3/05

Digital Object Identifier 10.1109/MC.2002.1039511

AbstractPlus | Full Text: PDF(304 KB) IEEE JNL

# 7. The real privacy and security implications of the USA Patriot Act Krutz. R.L.:

Security Technology, 2004. 38th Annual 2004 International Carnahan Conferei 11-14 Oct. 2004 Page(s):17 - 27

Digital Object Identifier 10.1109/CCST.2004.1405364

AbstractPlus | Full Text: PDF(750 KB) | IEEE CNF

#### 8. GRASP multi-sensor search tactics against evading targets

DelBalzo, D.R.; Hemsteter, K.P.;

Oceans '02 MTS/IEEE

Volume 1, 29-31 Oct. 2002 Page(s):54 - 59 vol.1

Digital Object Identifier 10.1109/OCEANS.2002.1193247

AbstractPlus | Full Text: PDF(499 KB) | IEEE CNF

### 9. Case study in modeling and simulation validation methodology

Simpkins, S.D.; Paulo, E.P.; Whitaker, L.R.;

Simulation Conference, 2001. Proceedings of the Winter

Volume 1, 9-12 Dec. 2001 Page(s):758 - 766 vol.1

Digital Object Identifier 10.1109/WSC.2001.977364

AbstractPlus | Full Text: PDF(690 KB) | IEEE CNF

# 10. Adaptive space-time processing for interference suppression in phased a systems. I. Search radar

Ghouz, H.H.M.; Elghany, F.I.A.; Qutb, M.M.;

Radio Science Conference, 2000. 17th NRSC '2000. Seventeenth National

22-24 Feb. 2000 Page(s):B8/1 - B8/8

Digital Object Identifier 10.1109/NRSC.2000.838845

AbstractPlus | Full Text: PDF(580 KB) | IEEE CNF

# 11. Statistical techniques for blind detection & discrimination of m-sequence systems

Adams, E.R.; Gouda, M.; Hill, P.C.J.;

Spread Spectrum Techniques and Applications, 1998. Proceedings., 1998 IEE

International Symposium on

Volume 3, 2-4 Sept. 1998 Page(s):853 - 857 vol.3

Digital Object Identifier 10.1109/ISSSTA.1998.722499

AbstractPlus | Full Text: PDF(376 KB) | IEEE CNF

# 12. Optimal surface detection in intravascular ultrasound using multi-dimens search

Frank, R.J.; McPherson, D.D.; Chandran, K.B.; Dove, E.L.;

Computers in Cardiology 1996

8-11 Sept. 1996 Page(s):45 - 48

Digital Object Identifier 10.1109/CIC.1996.542469

AbstractPlus | Full Text: PDF(412 KB) | IEEE CNF

### 13. A method for reducing the search space in test pattern generation

Teramoto, M.;

Test Conference, 1993. Proceedings., International

17-21 Oct. 1993 Page(s):429 - 435

Digital Object Identifier 10.1109/TEST.1993.470669

AbstractPlus | Full Text: PDF(528 KB) | IEEE CNF

# 14. FMCW and super resolution techniques applied to an LPI short range air

Andersson, B.E.; Persson, M.; Boman, K.;

Radar 97 (Conf. Publ. No. 449)

14-16 Oct. 1997 Page(s):406 - 410

AbstractPlus | Full Text: PDF(476 KB) IEE CNF

	15. Superconducting bar-loaded resonator for electron accelerator applicatic Padamsee, H.; Banner, M.; Kneisel, P.; Tigner, M.; Magnetics, IEEE Transactions on Volume 15, Issue 1, Jan 1979 Page(s):606 - 609
	AbstractPlus   Full Text: PDF(368 KB) IEEE JNL
	16. Further development of a future ESM channeliser with high temperature : filters
	Jeffries, R.F.; Greed, R.B.; Voyce, D.C.; Nudd, G.; Humphreys, R.G.; Goodyer Applied Superconductivity, IEEE Transactions on Volume 11, Issue 1, Part 1, March 2001 Page(s):410 - 413 Digital Object Identifier 10.1109/77.919370  AbstractPlus   References   Full Text: PDF(352 KB) IEEE JNL
	17. Design and performance of the readout system of the MINOS far detector Oliver, J.; Felt, N.; Feldman, G.; Lebedev, A.; Lee, R.; Nuclear Science, IEEE Transactions on Volume 51, Issue 5, Part 1, Oct. 2004 Page(s):2193 - 2195 Digital Object Identifier 10.1109/TNS.2004.834704
	AbstractPlus   Full Text: PDF(344 KB)   IEEE JNL
	18. New techniques for the deinterleaving of repetitive sequences Mardia, H.K.; Radar and Signal Processing, IEE Proceedings F
	Volume 136, Issue 4, Aug 1989 Page(s):149 - 154 <u>AbstractPlus</u>   Full Text: <u>PDF(</u> 364 KB)   IEE JNL
	ADSUACIFIUS   FUII 16XI. FDF(304 RB)   IEE 3NL
	19. Detection of frequency hopping signals with a sweeping channelized rad Lehtomaki, J.J.; Juntti, M.; Saarnisaari, H.; Signals, Systems and Computers, 2004. Conference Record of the Thirty-Eigh Conference on Volume 2, 7-10 Nov. 2004 Page(s):2178 - 2182 Vol.2
	Digital Object Identifier 10.1109/ACSSC.2004.1399553 <u>AbstractPlus</u>   Full Text: <u>PDF</u> (521 KB) IEEE CNF
	20. Searching for a moving target: optimal path planning Grundel, D.A.;
	Networking, Sensing and Control, 2005. Proceedings. 2005 IEEE 19-22 March 2005 Page(s):867 - 872
	Digital Object Identifier 10.1109/ICNSC.2005.1461306 AbstractPlus   Full Text: PDF(300 KB) IEEE CNF
	7.150.130.1.130   1 dil 10.00   12.2 0 m
	21. Methodological issues of real time data acquisition from multiple source physiological data
	Vick, R.M.; Ikehara, C.S.; System Sciences, 2003. Proceedings of the 36th Annual Hawaii International (6-9 Jan 2003 Page(s):7 pp. Digital Object Identifier 10.1109/HICSS.2003.1174295
	AbstractPlus   Full Text: PDF(697 KB) IEEE CNF
Г	22. Design and performance of the readout system of the MINOS Far Detecto
اسا	Oliver, J.; Felt, N.; Feldman, G.; Lebedev, A.; Lee, R.; Nuclear Science Symposium Conference Record, 2003 IEEE Volume 1, 19-25 Oct. 2003 Page(s):206 - 209 Vol.1 Digital Object Identifier 10.1109/NSSMIC.2003.1352031
	AbstractPlus   Full Text: PDF(531 KB)   IEEE CNF
	Ubiquitous MIMO multifunction digital array radar Rabideau, D.J.; Parker, P.; Signals, Systems and Computers, 2003. Conference Record of the Thirty-Sevi Conference on

Volume 1, 9-12 Nov. 2003 Page(s):1057 - 1064 Vol.1 Digital Object Identifier 10.1109/ACSSC.2003.1292087

AbstractPlus | Full Text: PDF(656 KB) IEEE CNF

### 24. Flight guidance control using genetic algorithm combined with singular | technique

Zhen-Qiang Qi; Guang-Da Hu; Zhao-Hua Yang; Fu-En Zhang; Machine Learning and Cybernetics, 2003 International Conference on Volume 2, 2-5 Nov. 2003 Page(s):1034 - 1038 Vol.2

AbstractPlus | Full Text: PDF(351 KB) | IEEE CNF

#### 25. Differential game guidance considering interceptor's direct lift and range estimation delay

Shima, T.; Weiss, H.;

Decision and Control, 2002, Proceedings of the 41st IEEE Conference on Volume 2, 10-13 Dec. 2002 Page(s):1281 - 1286 vol.2

AbstractPlus | Full Text: PDF(426 KB) | IEEE CNF

indexed by #Inspec Help Contact Us Privacy &:

© Copyright 2005 IEEE -

Google

Web Images Groups News Froogle Local more »

intercept search replace device settings

Search

Advanced Search Preferences

### Web

Results 1 - 10 of about 354,000 for intercept search replace device settings. (0.25 seconds)

Tip: Save time by hitting the return key instead of clicking on "search"

### TSCM - Recommended Intercept Receivers and Instrumentation

... The Optoelectronics equipment DOES NOT **replace** a good spectrum analyser or **search** receiver. ... TSCM - Sweeping the Spectrum for Eavesdropping **Devices** ... www.tscm.com/intercept1.html - 14k - Cached - Similar pages

### Replace title

Hurrell, the bill amends the warrant application provisions for **search** and ...

Notice: For clarity of exposition, the legislative proposals **set** out in the ...

www.parl.gc.ca/common/bills\_ls.asp?Parl=37&Ses=2&ls=c32 - 34k - Cached - Similar pages

### [PDF] Bluetooth

File Format: PDF/Adobe Acrobat
It is very difficult for eavesdroppers to **intercept** Bluetooth signals. ...
ability to **set** up ad-hoc networks with other Bluetooth enabled **devices** wherever ...
www.flexwork.eu.com/members/tech\_brief/tb24.pdf - <u>Similar pages</u>

### Spy Satellites Search for Bin Laden

So-called Signal Intelligence (Sigint) satellites, designed to **intercept** radio and ... **Replace** your mouse with your eye **Device** could detect overdose drugs ... news.bbc.co.uk/hi/english/ sci/tech/newsid\_1548000/1548860.stm - 35k - <u>Cached</u> - <u>Similar pages</u>

### NOVELL: Cool Solutions: Cool Tools: ZENworks

Control Windows services startup **settings** via ZENworks. Advanced Installer ... ZENworks Remote Session Request Utility for User on Managed **Device** ... www.novell.com/coolsolutions/tools/byproduct/203.html - 32k - Oct 1, 2005 - Cached - Similar pages

### News of Torry's Delphi Pages

Search and replace operations: All common search and replace operations are ... All settings of gutter and margin can be easily customized as you may change ... www.torry.ru/news.php?id=5 - 54k - Cached - Similar pages

### frontline: looking for answers: interviews: rich disabatino

... and it's been very hard for us to **intercept** that type of transmission. ...
... arguing that it can only augment human intelligence, not **replace** it. ...

www.pbs.org/wgbh/pages/frontline/ shows/terrorism/interviews/disabatino.html - 30k - Cached - Similar pages

### Gettingit.com: You're Never Alone With Paranoia

It can then **replace** itself with the original command or program and ... The point of knowing TEMPEST is to prevent a Van Eck **device** from being effective. ... www.gettingit.com/article/455 - 14k - <u>Cached</u> - <u>Similar pages</u>

### Printing in C#

the height of the font according to the printing **device** ... In future articles we will add find/**replace** functionality to this text editor to make it a bit ... www.c-sharpcorner.com/winforms/texteditor.asp - 27k - <u>Cached</u> - <u>Similar pages</u>

#### PlayStation.com

Bluetooth would **replace** cable or infrared connections for such **devices**. ...

Unfortunately ICS can be even trickier to **set** up than a hardware router, ...

uk.playstation.com/networkgaming/ story.jhtml?storyId=300334\_en\_GB\_GUIDES - 31k - <u>Cached</u> - <u>Similar pages</u>

# Google Groups results for intercept search replace device settings



<u>Opus5.66</u> - de.comp.sys.amiga.misc - Nov 09, 1997 <u>Directory Opus Magellan 5.66</u> - fido7.ru.amiga - Nov 09, 1997 <u>Son Of Spy Uploads 9/20/00</u> - alt.comp.freeware - Sep 20, 2000


Gooooooogle >

Result Page:

1 2 3 4 5 6 7 8 9 10

Next

Free! Get the Google Toolbar. Download Now - About Toolbar



intercept search replace device setti Search

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Google Home - Advertising Programs - Business Solutions - Hurricane Resources - About Google

©2005 Google

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3323	709/245-247.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/10/03 05:55
L2	358	I1 and intercept\$5	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/10/03 05:56
L3	1302	709/200.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/10/03 05:57
L4	26963	709/201-224.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/10/03 05:57
_ L5	29598	l1 or l3 or l4	US-PGPUB; USPAT; EPO; JPO	OR .	ON	2005/10/03 05:57
L6	2519	I5 and intercept\$5	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/10/03 05:57
L7	94	l6 and (search\$5 same replac\$5)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/10/03 05:58
L8	719	intercept\$5 and (search\$5 same replac\$5)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/10/03 06:05
L9	9	l8 and device adj settings	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/10/03 05:59
L10	332	intercept\$5 same (sender same receiver)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/10/03 06:06
L11	1	I10 and device adj setting	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/10/03 06:06
L12	_ 20	I10 and device near5 setting	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/10/03 06:06
S1	1	agassy-david.in.	US-PGPUB; USPAT; USOCR; EPO	OR	ON	2005/10/03 01:06
S2 <sup>-</sup>	3	agassy-meir.in.	US-PGPUB; USPAT; USOCR; EPO	OR	ON	2005/10/03 01:08

S3	129	eci-telecom\$.as.	US-PGPUB; USPAT; USOCR;	OR	ON	2005/10/03 02:20
S4	129	eci-telecom\$.as.	EPO US-PGPUB;	OR	ON	2005/10/03 02:20
			USPAT; USOCR; EPO	-		
S5	2	S4 and search\$5 same replac\$5	US-PGPUB; USPAT; USOCR; EPO	OR	ON	2005/10/03 02:29
S6	1	S4 and alter\$5 near5 condition\$5	US-PGPUB; USPAT; USOCR; EPO	OR	ON	2005/10/03 02:23
S7	1846	709/246,247.ccls.	US-PGPUB; USPAT; USOCR; EPO	OR	ON	2005/10/03 02:23
S8	435	S7 and prox\$5	US-PGPUB; USPAT; USOCR; EPO	OR	ON	2005/10/03 02:23
S9	107	S8 and HTML and xml	US-PGPUB; USPAT; USOCR; EPO	OR	ON	2005/10/03 02:24
S10	27	S9 and (dynamic\$5 near5 (updat\$5 or chang\$5 or modify\$5))	US-PGPUB; USPAT; USOCR; EPO	OR	ON	2005/10/03 02:25
S11	168	prox\$5 same search\$5 same replac\$5	US-PGPUB; USPAT; USOCR; EPO	OR	ON	2005/10/03 02:32
S12	11	S11 and HTML and xml	US-PGPUB; USPAT; USOCR; EPO	OR	ON	2005/10/03 02:29
S13	11	(US-20050198380-\$ or US-20050198334-\$ or US-20050108001-\$ or US-20040259060-\$ or US-20020129168-\$ or US-20020099850-\$ or US-20020049857-\$ or US-20010056500-\$).did. or (US-6938170-\$ or US-6654807-\$ or US-6185598-\$).did.	US-PGPUB; USPAT	OR	OFF	2005/10/03 02:31

S14	11	S13 and prox\$5 same search\$5 same replac\$5	US-PGPUB; USPAT; USOCR; EPO	OR	ON	2005/10/03 02:42
S15	99	proxy near transcoding	US-PGPUB; USPAT; USOCR; EPO	OR	ON	2005/10/03 02:43
S16	41	S15 and International\$.as.	US-PGPUB; USPAT; USOCR; EPO	OR	ON	2005/10/03 02:46
S17	1	S16 and manipulated adj web	US-PGPUB; USPAT; USOCR; EPO	OR	ON	2005/10/03 02:46
S18	8	S16 and price	US-PGPUB; USPAT; USOCR; EPO	OR	ON	2005/10/03 02:46
S19	1	("6615212").PN.	USPAT	OR	OFF	2005/10/03 03:21
S20	1	prede\$8 near5 transcod\$5 near5 prox\$5	US-PGPUB; USPAT	OR	ON	2005/10/03 03:22
S21	28	prede\$8 near5 plug\$5 near5 prox\$5	US-PGPUB; USPAT	OR	ON	2005/10/03 03:23
S22	0	prede\$8 near5 plug adj in near5 prox\$5	US-PGPUB; USPAT	OR	ON	2005/10/03 03:23
S23	0	prede\$8 near5 plug adj in near5 transcod\$5	US-PGPUB; USPAT	OR	ON	2005/10/03 03:23
S24	0	prede\$8 near5 plug adj in and transcod\$5	US-PGPUB; USPAT	OR	ON	2005/10/03 03:23
S25 .	0	prede\$8 near5 device adj setting and transcod\$5	US-PGPUB; USPAT	OR	ON	2005/10/03 03:24
S26	31	prede\$8 near5 device adj setting and prox\$5	US-PGPUB; USPAT	OR	ON	2005/10/03 03:25
S27	5	prede\$8 near5 device adj setting and proxy	US-PGPUB; USPAT	OR	ON	2005/10/03 03:28
S28	0	prede\$8 near5 device adj setting and transcoding	US-PGPUB; USPAT	OR	ON	2005/10/03 03:28
S29	0	prede\$8 near5 device adj setting and transcoding	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/10/03 05:55